# eVA







## BRINGING RELIABILITY AND EASE TO YOUR PRACTICE





"The eVA 500 digital system is compact but at the same time feature rich. This makes for a powerful solution when we need to be mindful of space and value." With increasing awareness of the need for early detection in women's health, doctors should be equipped with the best tools to make diagnostic assessments simpler and more accurate.

The LABOMED eVA 500 colposcope enables early diagnosis of tissue abnormalities and lesions, while providing new ergonomic features such as a control cluster organized for convenience and an *EZLift* z-axis height adjustment feature for the perfect viewing posture.

LABOMED's proprietary *MaxLite™* coating technology highlights the latest advancements in anti-reflective optical surface treatment, yielding vivid images with true-to-life colors and contrast akin to what one would see with the naked eye.

All optics are lead-free. All paints used have unique antimicrobial additives that prevent the growth of bacteria on contact surfaces and ensure a healthier working environment.

Brilliant optics reveal the most subtle lesions or atypical vascular patterns and provide improved control over biopsies, with sharp details extending all the way to the peripheral margins.

The eVA 500 flattens the learning curve with an ergonomic control cluster, including filter change, fine focus and joystick. The *EZLift* z-axis option allows smooth adjustment of the viewing tube height.

A 50-watt super bright LED provides lux outputs comparable to Xenon, but runs cooler and delivers 60,000 hours of bulb life. Operating with a color temperature comparable to daylight, it ensures bias-free diagnosis.

The eVA 500D houses a 5MP HD camera, eliminating camera mounting hassles. Standard features are HDMI live streaming, USB connectivity, and an SD card slot for on-device capture.



DOCUMENTATION THROUGH SEAMLESS DIGITAL INTEGRATION

 $oldsymbol{2}$ 

## **eVA COLPOSCOPE**

#### eVA500

Stand Star base stand. lockable wheels

Binocular tubes Straight, IPD 50-75 mm

Optional: 45° Inclined

**Eyepieces** WF 10X/18 mm, focusable with retractable eye guards, diopter

adjustment ± 5 mm and diopter lock

Optional: WF 12.5X/18 mm

Apochromatic magnichanger 5 Step: 0.4X, 0.6X, 1.0X, 1.6X, 2.5X **Objective** f-300 mm, high contrast aperture

Optional: f-400 mm

**Light source** eVALUX LED 50W, lamp life up to

60,000 hours

**Built-in filters** Green and Yellow

Microscope carriers Straight carrier, X-Y and inclination

controls, fine focus

**Digital imaging** 

**Optional accessories** Beam splitter, ProLine range of camera

adapters

#### eVA500D

E50 Star base stand. lockable wheels with EZLift 45° Inclined, IPD 55-75 mm

Optional: Straight

WF 10X/18 mm, focusable with retractable eye guards, diopter adjustment ± 5 mm and diopter lock

Optional: WF 12.5X/18 mm

5 Step: 0.4X, 0.6X, 1.0X, 1.6X, 2.5X f-300 mm, high contrast aperture

Optional: f-400 mm

eVALUX LED 50W, lamp life up to

60,000 hours Green and Yellow


Straight carrier, X-Y and inclination

controls, fine focus

5 MP integrated digital camera

with on-device capture button and SD card; USB v2.0 and HDMI (1080p) ports

Monitor with arm



#### **ITEM**

eVA 500

eVA 500D

#### **CONFIGURATION**

Colposcope, star base stand

Colposcope, star base stand with EZLift, integrated digital

HD camera

### CATALOG NO.

6169000-000

6168000-000





Tel: (510) 445-1257 Fax: (510) 445-1317

E-mail: sales@laboamerica.com



www.laboamerica.com





Distributor

© Labo Ame<u>rica, Inc. All rights reserved</u> 6169000-796 1.0